



LUBRICANTS & GREASES

Gives you performance, protection and confidence.













COMPANY PROFILE

Assured Petro Specialities Pvt. Ltd is an emerging multi-national company driven by passion to redefine the rules of the Lubricant Industry by bringing our prestigious brand "TRUSTROL".

"TRUSTROL" is committed in offering the genuine lubricant made from virgin stocks only. Our products are engineered according to the toughest performance parameters across globe creating a unique benchmark for Lubricant products, making them one of the best lubricant products for use in automobiles, marine & offshore vessels and simple to sophisticated industrial machinery experiencing tough and demanding operating conditions.

"TRUSTROL" meet the most sought out quality standards for raw materials and manufacturing. Our finished product makes its journey through the toughest performance tests giving our end user a truly world class quality experience.

Each step as a corporate citizen is taken considering our responsibility towards the growth of our Country and its rich heritage and nature. We always value people and their association, thus believe the satisfaction of every one associated with the brand is the baseline of our success.











VISION

To provide truly World-Class Lubricants engineered by modern technology with focus on energizing lives of everyone connected with us

MISSION

To offer best-in-class product in the lubricant industry aiming to fulfil customer expectations

VALUES

"TRUSTROL" Lubricants is committed to offer the best to everyone connected with us and to make it happen, we need to adhere to our fundamental values:

Research & Development

Our passion is to create products that protect the engine and offer proactive maintenance by meeting and exceeding industrial standards. For achieving these goals, we are backed up by an outstanding research and development team. All our products are tested for vital physical and chemical characteristics before issue of QC certificate to every batch. These tests include Viscosity, TAN, TBN, Pour Point, Insoluble, Weld Load, pH, Copper Strip Corrosion etc as per the most rigorous requirements of lubricants in that particular class. These tests ensure that only the best-in-class products reach the end customer.













WHY TRUSTROL?

- >> 100% Virgin World Class Base Oil
- More Stable viscosity
- Higher Oxidation Stability
- High Temperature Application
- Lower Volatility
- Energy Savings
- Reduces Ash
- Better Cold Flow Performance
- Longer Filter Life

WHAT MAKES US DIFFERENT?

- Attractive packaging
- Superior product quality
- Well experience team
- Better schemes
- Committed to customers
- Hassle free Supply
- Range availability
- Transparent dealing

Delivering Promise. Building "TRUST".













OUR PRODUCT RANGE

- Engine Oils
- Gear Oils
- Transmission Oils
- Coolants
- Brake Fluids
- Hydraulic Oils
- Turbine Oils
- Heat Transfer Fluids
- Pump Set Oils

- D.G. Set Oils
- **Rust Preventives**
- Rolling & Forming Fluids
- **Grinding Fluids**
- **Cutting Fluids**
- Marine Oils
- Compressor Oils
- All Kind of Greases

Offering TRULY World-class Lubricants. Experience it!











OUR PRODUCT RANGE















AUTOMOTIVE LUBRICANTS 2 WHEELER/4 STROKE TRUSTROL MAX 4T -SAE 10W30 API SL

Specification:

API SL & JASO MA2

Suitable for Modern High Output & Latest generation 4-Stroke Motorcycles of Major Brands

Available Pack Size: 210L, 50L, 1Ltr, 900ml, 800ml

Suitable for















AUTOMOTIVE LUBRICANTS 2 WHEELER/4 STROKE TRUSTROL MAX 4T -SAE 20W40 API SL

Specification:

API SL & JASO MA2

Suitable for Modern High Output & Latest generation 4-Stroke Motorcycles of Major Brands

Available Pack Size: 210L, 50L, 1Ltr, 900ml

Suitable for













AUTOMOTIVE LUBRICANTS 2 WHEELER/4 STROKE TRUSTROL MAX 4T -SAE 20W50 API-SL

Specification:

API SL & JASO MA2

Suitable for Modern High Output & Latest generation 4-Stroke Motorcycles of Major Brands

Available Pack Size: 210L, 50L, 1.2 L

Suitable for















AUTOMOTIVE LUBRICANTS 2 WHEELER/4 STROKE TRUSTROL TRAX 4T -SAE 10W-30 API-SN

Specification:


SEMI SYNTHETIC API SN & JASO MA2

Suitable for Modern High Output & Latest generation 4-Stroke Motorcycles of Major Brands

Available Pack Size: 210L, 50L, 1L, 900ml, 800ml

Suitable for

















AUTOMOTIVE LUBRICANTS 2 WHEELER/4 STROKE TRUSTROL TRAX 4T -SAE 20W-40 API-SN

Specification:

SEMI SYNTHETIC API SN & JASO MA2

Suitable for Modern High Output & Latest generation 4-Stroke Motorcycles of Major Brands

Available Pack Size: 210L, 50L, 1L, 900ml

Suitable for















AUTOMOTIVE LUBRICANTS 2 WHEELER/4 STROKE TRUSTROL TRAX 4T -SAE 20W-50 API-SN

Specification:

SEMI SYNTHETIC API SN & JASO MA2

Suitable for Modern High Output & Latest generation 4-Stroke Motorcycles of Major Brands

Available Pack Size: 210L, 50L, 2.5Ltr, 1Ltr, 900ml, 800ml

Suitable for















AUTOMOTIVE LUBRICANTS 2 WHEELER/4 STROKE TRUSTROL TRAX 4T -SAE 15W-50 API SN


Specification:

SEMI SYNTHETIC API SN & JASO MA2

Suitable 4-Stroke Motorcycles like Royal Enfield and Bajaj Pulsar etc.

Available Pack Size: 210L, 50L, 2.5Ltr

Suitable for **ROYAL ENFIELD, BAJAJ PULSAR ETC.**














OUR PRODUCT RANGE















AUTOMOTIVE LUBRICANTS PCMO TRUSTROL RACE -SAE 20W-50 SL/CF


Specification:

SAE 20W-50 - API SL/CF

Excellent quality engine oil specially developed for the vehicles operating on Dual Fuel (Petrol/Diesel).

Available Pack Size: 210L, 50L, 3 Ltr, 1 Ltr

















AUTOMOTIVE LUBRICANTS PCMO TRUSTROL RACE -SAE 20W-40 SL/CF

Specification:

SAE 20W-40 - API SL/CF

Excellent quality Multi-grade engine oil specially developed for the vehicles operating on Dual Fuel (Petrol/Diesel).

Available Pack Size: 210L, 50L, 3 Ltr, 1 Ltr

Suitable for TATA MOTORS / FORCE / MAHINDRA / PIAGGIO / ATUL / SUZUKI













AUTOMOTIVE LUBRICANTS PCMO TRUSTROL RACE -SAE 15W-40 SL/CF


Specification:

SAE 15W-40 - API SL/CF

Excellent quality Multi-grade engine oil specially developed for the vehicles operating on Dual Fuel (Petrol/Diesel).

Available Pack Size: 210L, 50L, 5 Ltr, 3.5 Ltr, 3 Ltr, 1 Ltr

Suitable for TATA MOTORS / FORCE / MAHINDRA / PIAGGIO / ATUL / SUZUKI















AUTOMOTIVE LUBRICANTS PCMO

TRUSTROL RACE -SAE 5W-30 SN/CH SEMI-SYNTHETIC

Specification:

SAE 5W-30 - API SN/CH Exceeds ILSAC GF5/ SN

Semi-synthetic multi-grade engine oil for modern Diesel/Petrol/ CNG cars that are powered by engines with advance technology.

Available Pack Size: 210L, 50L, 3.5 Ltr, 3 Ltr, 500 ml

Suitable for














OUR PRODUCT RANGE













AUTOMOTIVE LUBRICANTS DEO TRUSTROL DURO MAX-SAE 20W-40 CF4


Specification:

Exceeds API CF4 / SAE 20W40

Application: Suitable for Passenger cars, Utility Vehicles running on Diesel, Commercial Vehicles, Fishing Trawlers, Off and on Road equipments, agricultural equipments, heavy earth moving machineries powered by diesel engines.

Available Pack Size: 210L, 50L, 10L, 8.5L, 7.5L, 6L, 3L

Suitable for













AUTOMOTIVE LUBRICANTS DEO TRUSTROL FORMULA-SAE 15W-40 CH4


Specification:

Exceeds API CH4 / SAE 15W40

Application: Suitable for Passenger cars, Utility Vehicles running on Diesel, Commercial Vehicles, Fishing Trawlers, Off and on Road equipments, agricultural equipments, heavy earth moving machineries powered by diesel engines.

Available Pack Size: 210L, 50L, 15L, 10L, 8.5l, 7.5L, 6L, 3L, 1L

Suitable for















AUTOMOTIVE LUBRICANTS DEO TRUSTROL TURBOMAX-SAE 15W-40 Ci4 +


Specification:

Exceeds API CI4 PLUS / SAE 15W40

Application: Suitable for Passenger cars, Utility Vehicles running on Diesel, Commercial Vehicles, Fishing Trawlers, Off and on Road equipments

Aavailable Pack Size: 210L, 50L, 20L, 15L, 10L, 7.5L, 5L, 3L, 2L, 1L

Suitable for















AUTOMOTIVE LUBRICANTS C N G TRUSTROL GREEN ENERGY-SAE 20W-50 SG/CD


Specification:

Exeeds SAE 15W40 API SG/CD

Application: Suitable for Petrol/CNG/LPG Engine Vehicles

Aavailable Pack Size: 210L, 50L, 3.5 L, 1 L

Suitable for ATUL / BAJAJ / PIAGGIO / MARUTI etc.














AGRICULTURE PUMPSET OIL PSO TRUSTROL GREEN ENERGY-SAE 15W-40 SL/CF

Specification:

SAE 15W40 API SL/CF

Application: Suitable for Agricultural Pumpsets

Aavailable Pack Size: 210L, 50L, 20L, 3.5 L, 1 L















AUTOMOTIVE LUBRICANTS UTTO TRUSTROL UNIVERSAL TRACTOR TRANSMISSION

Specification:

UTTO - UNIVERSAL TRANSMISSION - WET BRAKE OIL

Application: Suitable for all Tractors

Aavailable Pack Size: 210L, 50L, 20L, 10l, 5L



Provides Premium Care at an Economical Rate











COOLANT

TRUSTROL MAX PROTECT COOLANT - READY TO USE

Specification:

TRUSTROL - READY TO USE COOLANT

Application: Suitable for all automotive vehicles

Aavailable Pack Size: 5L, 1L















COOLANT

TRUSTROL PROTECT STAR - 1:3

Specification:

TRUSTROL - 1:3 CONCENTRATE COOLANT

Application: Suitable for all automotive vehicles

Aavailable Pack Size : 5L, 3L, 1L















COOLANT

TRUSTROL PROTECT ANTIFREEZE - ALL SEASONS

Specification:

TRUSTROL - ANTIFREEZE COOLANT

JIS K 2234-1994, Class II (LLC Type); IS 5759:2006

Application: Suitable for Passenger cars, commercial vehicles, earth moving machinery

Aavailable Pack Size: 5L, 3L, 1L
















BRAKE FLUID DOT4 TRUSTROL BRAKE FLUID - DOT4

Specification:

TRUSTROL - BRAKE FLUID FMVSS 116 DOT4/ JIS K2233 CLASS 4 - DOT 4

Application: Suitable for all automotive vehicles

Aavailable Pack Size: 500 ml, 250 ml















AUTOMOTIVE LUBRICANTS ATF TRUSTROL AUTOMATIC TRANSMISSION FLUID

Specification:

TRUSTROL - POWER STEERING AND ATF

DEXRON -II-D


Application: Suitable for all automotive vehicles

Excellent auto transmission fluid developed for automatic

transmissions in vehicles

Available Pack Size: 50L, 1L















AUTOMOTIVE LUBRICANTS FF OIL TRUSTROL FORK OIL

Specification:

TRUSTROL - FRONT FORK OIL

Application: Suitable for all two wheelers

Aavailable Pack Size: 350 ml, 175 ml



Smooth and long life













AUTOMOTIVE LUBRICANTSA T F TRUSTROL HYDROMAX TRANSMISSION OIL PLUS

Specification:

TRUSTROL - PHYDROMAX ATF (JCB/OTR)

DEXRON -IIID

Application: Suitable for all earth moving equipments

Aavailable Pack Size: 210l, 50L, 20L



High performance and enhanced protection











AUTOMOTIVE LUBRICANTS GEAR OIL TRUSTROL POWERMAX - GEAR OIL EP90


Specification:

TRUSTROL - POWERMAX - EP 90

MEETS API GL4-SAE 90

Application: best used for hypoid differential, can be used in all transmissions that require extreme pressure transmission oils

Available Pack Size: 210l, 50L, 20L,5L, 1L















AUTOMOTIVE LUBRICANTS HYDRAULIC OIL TRUSTROL HUDROMAX HYDRAULIC OIL 46/68

Specification:

TRUSTROL - HYDROMAX HYDRAULIC OIL 46 & 68 **DIN 51524 Part 1 (HLP)**

Application: Hydraulics of mobile and construction equipment

Aavailable Pack Size: 210l, 50L, 26L, 20L, 5L













AUTOMOTIVE LUBRICANTS GREASE TRUSTROL FORMULA RACE - AP-3 GEL GREASE


Specification:

TRUSTROL - FORMULA RACE - GEL GREASE - AP3

NLGI-3 LITHIUM BASE

Application: All purpose grease for automotive and earth moving equipments

Aavailable Pack Size: 180, 18kg, 10kg, 7kg, 5kg, 3kg, 2kg, 1kg, 500 gm















AUTOMOTIVE LUBRICANTS GREASE TRUSTROL POWERMAX LONG LIFE GREASE

Specification:

TRUSTROL - POWERMAX - LONG RUN GREASE


NLGI-3 LITHIUM BASE

Application: Along-run grease for automotive and earth moving

equipments

Aavailable Pack Size: 180, 18kg, 5kg, 2kg, 1kg, 500 gm















Corporate & H.O: Assured Petro Specialities Pvt. Ltd., Gopinath Nilayam, 2nd Floor, Plot No-581/1137, Suryabihar, Link Road, Arunodaya Nagar PO, Cuttack-753012, Odisha, India Tel: 0671 2910724, Email: info@trustrollubes.in

Reg. Office: Plot No. 340/2013, Vinayaknagar, Mahanandivihar, Nayabazar Po. Cuttuck-753004 Odisha, India Tel: +91 6717966907 Emial: trustrollubricants@gmail.com

CUSTOMER CARE: 99370 36524





